

10/576,468>13/04/2007

=> d his

(FILE 'HOME' ENTERED AT 21:18:18 ON 12 APR 2007)

FILE 'HCAPLUS' ENTERED AT 21:18:29 ON 12 APR 2007
E YABUSAKI K/AU 25

L1 18 S (E3 OR E6)
L2 2 S L1 AND CELLULOSE
L3 2953 S CELLULOSE II
L4 156 S L3 AND ADSOR?
L5 1 S (CELLULOSE II PHOSPHATE)
L6 46 S L3 AND PHOSPHOR?
L7 4 S L4 AND L6
L8 3 S L7 NOT L2

L2 ANSWER 1 OF 2 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2006:317199 HCAPLUS <<LOGINID::20070412>>
 DOCUMENT NUMBER: 144:352561
 TITLE: Phosphoric esters of cellulose derivatives
 and metal adsorbents comprising them
 INVENTOR(S): Lu, Ming; Yabasaki, Katsumi
 PATENT ASSIGNEE(S): Kowa Co., Ltd., Japan
 SOURCE: PCT Int. Appl., 23 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2006035696	A1	20060406	WO 2005-JP17605	20050926
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KM, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, LY, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NG, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SM, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, LV, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG, BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				

PRIORITY APPLN. INFO.: US 2004-613705P P 20040929

AB 2,3-Dihydroxypropyl cellulose or 3-(2,3-dihydroxypropoxy)-2-hydroxypropyl cellulose phosphoric ester (part of which may have undergone carbamidation) is prepared and used as a metal-absorbing material. The metal adsorbent has a high metal-adsorbing ability and a high metal adsorption rate per unit weight. It has an excellent mech. strength and is highly effective in softening water or the like. It significantly efficiently removes heavy metals from wastewater, etc. It has excellent processability and can be formed into various shapes. It is applicable in a wide range and easily reusable.

REFERENCE COUNT: 13 THERE ARE 13 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> d 12 ibib abs 2

L2 ANSWER 2 OF 2 HCAPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 2005:409567 HCAPLUS <<LOGINID::20070412>>
 DOCUMENT NUMBER: 142:431812
 TITLE: Cellulose II phosphate ester and metal-adsorbing material using the same
 INVENTOR(S): Yabasaki, Katsumi
 PATENT ASSIGNEE(S): Kowa Co., Ltd., Japan
 SOURCE: PCT Int. Appl., 25 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005042587	A1	20050512	WO 2004-JP15501	20041020

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH,
 CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD,
 GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,
 LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI,
 NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY,
 TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
 RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM,
 AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK,
 EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE,
 SI, SK, TR, BF, BJ, CF, CI, CM, GA, GN, GQ, GW, ML, MR, NE,
 SN, TD, TG

EP 1679322 A1 20060712 EP 2004-792667 20041020
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK

CN 1871260 A 20061129 CN 2004-80031426 20041020
 US 2003-515698P P 20031031
 WO 2004-JP15501 W 20041020

PRIORITY APPLN. INFO.:
 AB The invention relates to a cellulose II phosphate ester which
 may be partially reacted with carbamide; and a metal-adsorbing material
 using the cellulose II phosphate ester. The cellulose
 II phosphate ester can adsorb a metal ion in a solution with good efficiency,
 and thus, can be utilized in a metal adsorbing material and in a metal
 adsorbing apparatus

REFERENCE COUNT: 14 THERE ARE 14 CITED REFERENCES AVAILABLE FOR THIS
 RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> s cellulose II
 351788 CELLULOSE
 4378 CELLULOSES
 352286 CELLULOSE
 (CELLULOSE OR CELLULOSES)
 2143594 II
 976 IIS
 2144151 II
 (II OR IIS)
 L3 2953 CELLULOSE II
 (CELLULOSE(W) II)

=> s l3 and adsor?
 601112 ADSOR?
 L4 156 L3 AND ADSOR?

=> s (cellulose II phosphate) or cellulos?phophat?
 '?' TRUNCATION SYMBOL NOT VALID WITHIN 'CELLULOS?PHOPHAT?'
 The truncation symbol ? may be used only at the end of a search
 term. To specify a variable character within a word use '!', e.g.,
 'wom!n' to search for both 'woman' and 'women'. Enter "HELP
 TRUNCATION" at an arrow prompt (>) for more information.

=> s (cellulose II phosphate)
 351788 CELLULOSE
 4378 CELLULOSES
 352286 CELLULOSE
 (CELLULOSE OR CELLULOSES)
 2143594 II
 976 IIS
 2144151 II
 (II OR IIS)
 565340 PHOSPHATE
 130810 PHOSPHATES
 616128 PHOSPHATE
 (PHOSPHATE OR PHOSPHATES)

L5 1 (CELLULOSE II PHOSPHATE)
 (CELLULOSE(W) II (W) PHOSPHATE)

=> d 15

L5 ANSWER 1 OF 1 HCAPLUS COPYRIGHT 2007 ACS on STN
 AN 2005:409567 HCAPLUS <<LOGINID::20070412>>

DN 142:431812

TI Cellulose II phosphate ester and
 metal-adsorbing material using the same
 IN Yabusaki, Katsumi
 PA Kowa Co., Ltd., Japan
 SO PCT Int. Appl., 25 pp.
 CODEN: PIXXD2

DT Patent

LA Japanese

FAN.CNT 1

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI WO 2005042587	A1	20050512	WO 2004-JP15501	20041020
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1679322	A1	20060712	EP 2004-792667	20041020
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
CN 1871260	A	20061129	CN 2004-80031426	20041020
PRAI US 2003-515698P	P	20031031		
WO 2004-JP15501	W	20041020		

RE.CNT 14 THERE ARE 14 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> s 13 and phosphor?

747427 PHOSPHOR?

L6 46 L3 AND PHOSPHOR?

=> s 14 and 16

L7 4 L4 AND L6

=> s 17 not 12

L8 3 L7 NOT L2

=> d 18 ibib abs

L8 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2007 ACS on STN

ACCESSION NUMBER: 1979:593953 HCAPLUS <<LOGINID::20070412>>

DOCUMENT NUMBER: 91:193953

TITLE: Heavy metal ion adsorbents having thioamide
 groups

AUTHOR(S): Kaeriyama, Kyoji

CORPORATE SOURCE: Res. Inst. Polym. Text., Tsukuba, 300-21, Japan

SOURCE: Journal of Applied Polymer Science (1979), 24(5),
 1205-13

CODEN: JAPNAB; ISSN: 0021-8995

DOCUMENT TYPE: Journal
 LANGUAGE: English

AB Polymers containing thioamide groups for scavenging heavy metals from water were prepared by P2S5-sulfurization of cyanuric chloride-dicarboxylic dihydrazide copolymers (polyhydrazides) or of copolymers containing di-Me acrylamide or acrylamide or by reaction of methylolated thiourea, thiosemicarbazide, or alkylthiourea derivs. with active-H-containing polymers, e.g. polyethyleneimine (I), cellulose (II), I-II copolymers, or aminoethyl cellulose. Thus, carbodihydrazide-cyanuric chloride copolymer-P2S5 reaction products removed 100% Hg²⁺ from water containing 10 ppm Hg²⁺ and 10% NaCl(pH 4) after remaining in contact with the water overnight.

=> d 18 ibib abs 2-3

L8 ANSWER 2 OF 3 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1973:488820 HCPLUS <<LOGINID::20070412>>
 DOCUMENT NUMBER: 79:88820
 TITLE: Chromatographic isolation of enzymes
 INVENTOR(S): Fujii, Katsumi; Takagahara, Isamu; Suzuki, Yasuo;
 Horio, Takekazu
 PATENT ASSIGNEE(S): Oriental Yeast Co., Ltd.
 SOURCE: Ger. Offen., 16 pp.
 CODEN: GWXXBX
 DOCUMENT TYPE: Patent
 LANGUAGE: German
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DE 2165406	A1	19730719	DE 1971-2165406	19711229
DE 2165406	B2	19750102		
DE 2165406	C3	19750814		

PRIORITY APPLN. INFO.: DE 1971-2165406 A 19711229
 AB Phosphate-dependent enzymes, e.g. glucose 6-phosphate dehydrogenase, pyruvate kinase, or ribulose diphosphate carboxylase (I), were isolated from crude enzyme solns. by adsorption on a phosphate group-containing adsorbent [cellulose phosphate or phosphorylmethyl cellulose (II)] and elution with a phosphate group-competing substrate, coenzyme, or inhibitor. Thus, *Candida utilis* was autolyzed with AcOEt, extracted with (NH₄)₂SO₄ solution, the solution purified on a Sephadex G-25 column and subsequently on a DEAE-cellulose column. The crude I solution obtained was applied to a II column and eluted with maleic acid-NaOH buffer pH 6.0 containing 5 + 10-5M ribulose diphosphate. I was obtained in 70% yield with a purity of 1100 IU/mg protein for an overall purification of 3800-fold.

L8 ANSWER 3 OF 3 HCPLUS COPYRIGHT 2007 ACS on STN
 ACCESSION NUMBER: 1969:63637 HCPLUS <<LOGINID::20070412>>
 DOCUMENT NUMBER: 70:63637
 TITLE: Chromatographic resolution of cobalt(III) complexes on ion-exchange cellulose
 AUTHOR(S): Yoshikawa, Yuzo; Yamasaki, Kazuo
 CORPORATE SOURCE: Nagoya Univ., Nagoya, Japan
 SOURCE: Inorganic and Nuclear Chemistry Letters (1968), 4(12), 697-700
 CODEN: INUCAF; ISSN: 0020-1650
 DOCUMENT TYPE: Journal
 LANGUAGE: English
 AB Cationic and anionic exchange celluloses, diethylaminoethyl cellulose (I) and phosphorylated cellulose (II), resp.,

were used successfully for the resolution of both cationic and anionic Co(III) complexes, resp. Thus K[CoL]·2-H₂O (H₄L = EDTA) (42 mg.) in 10 ml. H₂O was passed through a column packed with I which was previously converted to the Cl⁻-form with N HCl. The adsorbed complex was eluted with 0.02N HCl at a rate of 0.2 ml./min.; the effluent was divided into 3-ml. fractions. Fraction nos. 1-11 showed no optical rotation, while fraction nos. 12-16 showed pos. rotations with the maximum value [M]25546 = 1070° for the 13th fraction which corresponded to 25% resolution. The subsequent fractions showed the neg. rotations with the maximum value [M]25546 = -2180° for the 22nd fraction, corresponding to 51% resolution. Similarly, the resolution of [Co(en)₃]Cl₃ on II was carried out. Fraction nos. 1-5 showed the neg. rotation with the maximum value [M]25D = -41° for the 1st fraction. Fraction nos. 6-10 showed no rotation, while fraction nos. 11-51 and nos. 52 and 53 eluted by 2N HCl showed pos. rotation; the 53rd fraction showed the maximum rotation [M]25D = 56°. The Co(III) complexes of aminodiacetic acid (ida) and diethylenetriamine (dien), K[Co(ida)₂] and [Co(dien)₂]Br₃, resp., were also resolvable.



About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

regenerated AND cellulose AND "cellulose II" AND abso

Journal sources Preferred Web sources Other Web sources Exact phrase

Searched for:: :All of the words:**regenerated AND cellulose AND "cellulose II" AND absorption**

Found:: :**133 total | 43 journal results | 84 preferred web results | 6 other web results**

Sort by:: :**relevance | date**

41. [The action of ethylamine on cellulose - Part II-Solvent extraction of ethylamine-treated bacterial cellulose: Changes...](#)

Spedding, H., Polymer, Jan 1962

...the formation11 of **cellulose]II** the ethylamine was...the former, liquid **absorption** bands were apparent...fibres of 'inclusion **cellulose'** retain' ca. 5 per...evidence from the hydroxyl-**absorption** region as to whether...experiment a film of **regenerated** cellulose was treated...

Published journal article available from  [ScienceDirect](#)

[view all 42 results from ScienceDirect](#)

[similar results](#)

Refine your search using these key found in the results

[blend membranes](#)

[cellulose fibers](#)

[chitosan](#)

[crystalline](#)

[crystallinity](#)

[polymerization](#)

[starch](#)

[viscose](#)

Or refine using:

42. [Tables of contents](#)

Polymer Contents, Sep 1987

...hollow fibres of re-generated **cellulose** in various liquids {G} 4:,0 R...EL-KALLA and A.F. SAID The infrared **absorption** characteristics of poly-{methyl...Balasundaram 227 The use of water **absorption** kinetic data to predict laminate...

Published journal article available from  [ScienceDirect](#)

[view all 42 results from ScienceDirect](#)

[similar results](#)

All of the words

43. [Tables of contents](#)

Polymer Contents, Jan 1988

Tables of Contents Tables of contents of serials received during the preceding month are reproduced in this section. Entries are preceded by the ISO abbreviation of each journal, followed by the coded bibliographic strip and copyright designation.

Published journal article available from  [ScienceDirect](#)

[view all 42 results from ScienceDirect](#)

[similar results](#)



Results Pages: [[<< Prev](#)] [1](#) [2](#) [3](#) [[Next >>](#)]

[back to top](#)

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

[Powered by FAST](#) © Elsevier 2007

[About Us](#)[Newsroom](#)[Advisory Board](#)[Submit Web Site](#)[Help](#)[Contact Us](#)**Basic Search**[Advanced Search](#) [Search Preferences](#) Journal sources Preferred Web sources Other Web sources Exact phraseSearched for:: :All of the words:"**regenerated cellulose**" AND **biosorbent**Found:: :4 total | [1 journal results](#) | [3 preferred web results](#) | [0 other web results](#)Sort by:: :relevance | [date](#)Dic
"re
bic

1. [Metal removal from single and multimetallic equimolar systems by extracellular polymers extracted from activated...](#)

Guibaud, G. / Comte, S. / Bordas, F. / Baudu, M., *Process Biochemistry*, Feb 2005 ...15 min. Solutions of ECP were placed in dialysis bags (**regenerated cellulose** tubular membrane from CelluSep with a nominal MWCO of 3500...removal from single and multimetallic systems by different **biosorbent** materials as evaluated by differential pulse anodic stripping...

Published journal article available from  [ScienceDirect](#)
[similar results](#)

Or
AI
E
F

2. [INGESTIBLE GASTROINTESTINAL DEVICE](#)

LEVY, Mark M., *PATENT COOPERATION TREATY APPLICATION*, Nov 2004

An ingestible device is provided. The ingestible device comprises a sink mechanism, for generating net influx of at least one constituent-of-interest present in a gastrointestinal tract of an individual, and a confining mechanism for confining the sink ...

Full text available at patent office. For more in-depth searching go to  [LexisNexis](#)
[view all 3 results from Patent Offices](#)
[similar results](#)

3. [Ingestible gastrointestinal device](#)

Levy, Mark M., *UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT PUBLICATION*, Oct 2004

An ingestible device is provided. The ingestible device comprises a sink mechanism, for generating net influx of at least one constituent-of-interest present in a gastrointestinal tract of an individual, and a confining mechanism for confining the sink ...

Full text available at patent office. For more in-depth searching go to  [LexisNexis](#)
[view all 3 results from Patent Offices](#)
[similar results](#)

4. [Composition for binding bioactive substances](#)

Schneider, Michel / Chevreux, Pierre / Guillot, Christian, *UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT*, May 1984

...similarly and are capable of functioning as biocatalysts, **biosorbents**, etc. Thus, such carrier materials comprising a biofunctional...transformed, they are often named as "biocatalysts". Similarly, a "**biosorbent**" is a substrate to which there are bonded

biofunctional molecules...

Full text available at patent office. For more in-depth searching go to  LexisNexis
[view all 3 results from Patent Offices](#)
[similar results](#)

 fast

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

[Powered by FAST](#) © Elsevier 2007

regenerated cellulose

See cellophane.

Hawley's Condensed Chemical Dictionary, 14th Edition
Copyright ©2002 by John Wiley & Sons, Inc.

[About Us](#)[Newsroom](#)[Advisory Board](#)[Submit Web Site](#)[Help](#)[Contact Us](#)**Basic Search**[Advanced Search](#) [Search Preferences](#)

keyword:"cellulose II" AND (phosphor*)

 Journal sources Preferred Web sources Other Web sources Exact phraseSearched for:: :All of the words:**keyword:"cellulose II" AND (phosphor*)**Found:: :**2 total | 1 journal results | 1 preferred web results | 0 other web results**Sort by:: :**relevance | date**

- Or refine using:
1. [The crystal structure of methyl β-cellotrioside monohydrate 0.25 ethanolate and its relationship to cellulose II](#)
Raymond, S. / Henrissat, B. / Qui, D.T. / Kvick, A. / Chanzy, H., *Carbohydrate Research*, Nov 1995
...was achieved on image plate detectors positioned at 303 mm from the crystal. The plates were scanned with a Molecular Dynamic **Phosphor** Imager 400E. The data were corrected using the program FIT2D [14] to correct the distortion of the detector. The sets of intensities...
Published journal article available from  [ScienceDirect](#)
[similar results](#)
2. [Raman spectral studies of polymorphy in cellulose. Part 1, Celluloses I and II / Rajai H. Atalla.](#)
Atalla, Rajai H., Sep 1975
...here because the spectral features are somewhat better resolved. The -5-cellulose II is a low-d.p. sample, regenerated from **phosphoric** acid at room temperature, chosen because of both its high crystallinity and its very low level of residual cellulose I. The...
[<http://hdl.handle.net/1853/2955>]
[similar results](#)



About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

keyword:cellulose AND keyword:II AND (title:cellulose

Journal sources Preferred Web sources Other Web sources Exact phrase

Searched for:: :All of the words:**keyword:cellulose AND keyword:II AND (title:cellulose AND title:II)**

Found:: :**16 total | 14 journal results | 1 preferred web results | 1 other web results**

Sort by:: :**relevance | date**

- 1. [The conversion from cellulose I to cellulose II in NaOH mercerization performed in alcohol-water systems: An X-ray...](#)

Mansikkamaki, P. / Lahtinen, M. / Rissanen, K., Carbohydrate Polymers, Mar 2007

The slurry-mercerization (SM) processes in 2-propanol-water and 2-propanol-ethanol-water and wet-mass-mercerization (WMM) process in ethanol-water solvents are investigated. Based on X-ray diffraction measurements in the earlier reports, we...

Published journal article available from  **ScienceDirect**

[view all 12 results from ScienceDirect](#)

[similar results](#)

Refine your search using these key words found in the results for **cellulose ii**

Or refine using:

All of the words

Free Keyword Data

Maximize your site's visibility with our free keyword database.
www.toppayingkeywords.com

Sponsored by

- 2. [Evaluation of cellulose II powders as a potential multifunctional excipient in tablet formulations](#)

de la Luz Reus Medina, M. / Kumar, V., International Journal of Pharmaceutics, Sep 2006

The use of UICEL-A/102 and UICEL-XL, the cellulose II powders, as a multifunctional direct compression excipient in the design of tablets containing hydrochlorothiazide (HCTZ) or ibuprofen (IBU), the model low and high dose drugs,...

Published journal article available from  **ScienceDirect**

[view all 12 results from ScienceDirect](#)

[similar results](#)

- 3. [Two-dimensional spin-exchange solid-state NMR study of the crystal structure of cellulose II](#)

Kono, H. / Numata, Y., Polymer, Jun 2004

A two-dimensional (2D) ^{13}C - ^{13}C spin-exchange NMR experiment was applied to the uniformly ^{13}C -enriched cellulose II in order to obtain interatomic distance information in the cellulose II crystal. A radio frequency-driven recoupling...

Published journal article available from  **ScienceDirect**

[view all 12 results from ScienceDirect](#)

[similar results](#)

4. Fixed sites plasticized cellulose triacetate membranes containing crown ethers for silver(I), copper(II) and gold(III)...
Gherrou, A. / Kerdjoudj, H. / Molinari, R. / Seta, P. / Drioli, E.,
Journal of Membrane Science, Jan 2004
New cellulose triacetate membranes (CTA) containing the macrocyclic polyethers dibenzo-18-crown-6 (DB18C6), hexathia-18-crown-6 (HT18C6), diaza-18-crown-6 (DA18C6) and hexaaza-18-crown-6 (HA18C6) as fixed carriers were prepared,...
- Published journal article available from**  **ScienceDirect**
[view all 12 results from ScienceDirect](#)
[similar results](#)
5. Equilibria of Cu(II) in alkaline suspensions of cellulose pulp
Norkus, E. / Vaiciuniene, J. / Vuorinen, T. / Macalady, D.L.,
Carbohydrate Polymers, Jan 2004
Interaction of Cu(II) with cellulose pulp was studied by means of polarography, AAS, and ultraviolet-visible spectrophotometry. The experiments were carried out at room temperature and at selected initial cellulose pulp slurry pH values...
- Published journal article available from**  **ScienceDirect**
[view all 12 results from ScienceDirect](#)
[similar results](#)
6. A platinum electrode coated with a copper (II) aminopropyl complex-cellulose acetate membrane and its use for dissolved...
Lazarin, A.M. / Borgo, C.A. / Gushikem, Y., *Journal of Membrane Science*, Aug 2003
Highly dispersed Al³⁺ in a cellulose acetate membrane, resulting in an organic-inorganic hybrid material, Cel/Al³⁺, was prepared. It was further modified by attaching an organofunctional group by reacting with the precursor reagent...
- Published journal article available from**  **ScienceDirect**
[view all 12 results from ScienceDirect](#)
[similar results](#)
7. Phenotyping of Carbonic Anhydrase II in Fresh Blood and Bloodstains on Cellulose Acetate Membranes [26K]
Jun 2006
Phenotyping of Carbonic Anhydrase II in Fresh Blood and Bloodstains on Cellulose Acetate Membranes Andrus, RH Criminalist, State of California, Department of Justice, Fresno Regional Laboratory, Fresno, Calif.
[<http://www.astm.org/JOURNALS/FORENSIC/PAGES/4.htm>]
[similar results](#)
8. Production of cellulose II by Acetobacter xylinum in the presence of 2,6-dichlorobenzonitrile
Xiaochun, Y. / Atalla, R.H., *International Journal of Biological Macromolecules*, Aug 1996
This report provides X-ray diffraction and Raman spectral evidence that, when 2,6-dichlorobenzonitrile is present in the culture medium, Acetobacter xylinum, which is a model system for investigation of the biosynthesis of native...
- Published journal article available from**  **ScienceDirect**
[view all 12 results from ScienceDirect](#)
[similar results](#)
9. The crystal structure of methyl β-cellotrioside monohydrate 0.25 ethanolate and its relationship to cellulose II

Raymond, S. / Henrissat, B. / Qui, D.T. / Kvick, A. / Chanzy, H.,
Carbohydrate Research, Nov 1995
The crystal structure of methyl @b-cellotrioside (methylO -@b-d-glucopyranosyl-(1 @[4)-O-@b-d-glucopyranosyl-(1 @[4)-@b-d-glucopyranoside) complexed with water and ethanol, C"1"9H"3"4O"1"6 @? H"2O @? 0.25[C"2H"6O] was determined by...

Published journal article available from  **ScienceDirect**

[view all 12 results from ScienceDirect](#)
[similar results](#)

10. [Raman spectral studies of polymorphy in cellulose. Part 1, Celluloses I and II / Rajai H. Atalla.](#)

Atalla, Rajai H., Sep 1975

"September, 1975."

[<http://hdl.handle.net/1853/2955>]

[similar results](#)

11. [Lateral crystallite size and lattice distortions in cellulose II samples of different origin](#)

Hofmann, D. / Fink, H.P. / Philipp, B., *Polymer*, Feb 1989

On the basis of wide-angle X-ray scattering measurements on seven cellulose II samples of different origin, the effects of finite crystallite size and lattice distortions on the linewidth of the (10 1) reflection are discussed. In this...

Published journal article available from  **ScienceDirect**

[view all 12 results from ScienceDirect](#)
[similar results](#)

12. [I-cell disease \(mucolipidosis II\): resolution of N-acetyl-beta-D-glucosaminidase and alpha-L-fucosidase components by DEAE-cellulose chromatography.](#)

Ellis, R B / Willcox, P / Patrick, A D, *Clinical science and molecular medicine*, Dec 1975

1. In a patient with I-cell disease the activities of several acid hydrolases were elevated in plasma and reduced in cultured fibroblasts when compared with normal values. Normal activities for the enzymes were found in leucocytes. These findings agree ...

MEDLINE/PubMed Citation on  **PubMed**

[view all 2 results from MEDLINE/PubMed](#)
[similar results](#)

13. [The efficiency of cellulose nitrate LR 115 II for alpha particle detection](#)

Damkjaer, A., *International Journal of Radiation Applications & Instrumentation. Part D, Nuclear Tracks & Radiation Measurements*, Jan 1986

The alpha particle detection efficiency of KODAK LR 115 II has been measured and an analytical expression for the efficiency as a function of particle energy and angle of incidence has been found. Based on the analytical expression, the...

Published journal article available from  **ScienceDirect**

[view all 12 results from ScienceDirect](#)
[similar results](#)

14. [Phenotyping of carbonic anhydrase II in fresh blood and bloodstains on cellulose acetate membrane.](#)

Andrus, R H, *Journal of forensic sciences*, Jan 1981

A simple and rapid procedure is presented for the identification of carbonic

anhydrase II in fresh blood and bloodstains using cellulose acetate membranes. Identification of the phenotypes is simplified by the migration of the isozyme bands to one side ...

MEDLINE/PubMed Citation on  PubMed

[view all 2 results from MEDLINE/PubMed](#)
[similar results](#)

15. Native folded-chain cellulose II

Kuga, S. / Takagi, S. / Brown, R.M., *Polymer*, Jan 1993

A mutant strain of *Acetobacter xylinum* was isolated, which produces cellulose of anomalous band-like morphology in contrast to straight, crystalline microfibrils of cellulose I normally produced by the wild-type strain. The band material...

Published journal article available from  ScienceDirect

[view all 12 results from ScienceDirect](#)
[similar results](#)

16. Does cellobiohydrolase II core protein from *Trichoderma reesei* disperse cellulose macrofibrils?

Woodward, J. / Affholter, K.A. / Noles, K.K. / Troy, N.T. /

Gaslightwala, S.F., *Enzyme and Microbial Technology*, Aug 1992

Papain digestion of a *Trichoderma reesei* cellulase resulted in the generation of a protein, tentatively identified as cellobiohydrolase II core protein (CBH IIcp), that could be separated from the rest of the enzyme by gel filtration. It...

Published journal article available from  ScienceDirect

[view all 12 results from ScienceDirect](#)
[similar results](#)

Sponsored links

Keyword

Bird Feeders, Pool Care, Firepits & More. Shop Top Brands at Lowe's.

www.Lowes.com

Keyword Research Tool

12 Months of Keyword Seasonal Data, Misspellings, Popular, Free Trial

www.keyworddiscovery.com

Awesome Keyword Help Tool

Taking keyword search to a new level - try it!

www.keywordelite.com



[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

[Powered by FAST © Elsevier 2007](#)



About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

keyword:cellulose AND keyword:II AND (adsorb* or absorb*)

Journal sources Preferred Web sources Other Web sources Exact phrase

Searched for:: :All of the words:**keyword:cellulose AND keyword:II AND (adsorb* OR absorb*)**

Found:: :**78 total | 68 journal results | 4 preferred web results | 6 other web results**

Sort by:: :**relevance | date**

Re

us

fo

- 1. [Purification and characterization of butyrate-induced protein phosphatase involved in apoptosis of Ehrlich ascites tumor...](#)

ad:

Belakavadi, M. / Prabhakar, B.T. / Salimath, B.P., *BBA - General Subjects*, Jan 2007
...terminated by adding 0.5 ml of malachite green reagent and the **absorbance** was read at 620 nm. A standard curve was prepared using 0...of 10 ml were collected at a flow rate of 60 ml/h and their **absorbance** was read at 280 nm. Alternate fractions were assayed for protein...

apl

blo

cas

cas

chl

dei

chi

de:

ion

id

lip

ph

ma

ma

tra

tra

Or

Al

...

F

Published journal article available from **ScienceDirect**

[view all 56 results from ScienceDirect](#)

[similar results](#)

- 2. [Cellulose-based scaffold materials for cartilage tissue engineering](#)

Muller, F.A. / Muller, L. / Hofmann, I. / Greil, P. / Wenzel, M.M. / Staudenmaier, R., *Biomaterials*, Jul 2006

...cellulose II monofilament fibres with a diameter of 10μm that were prepared by the so-called Lyocell(R)process[38,39]. A super **absorbent** polymer (sodium poly acrylic acid) was used to generate a total amount of 3wt% carboxyl groups in the cellulose fibres. Thus...

Published journal article available from **ScienceDirect**

[view all 56 results from ScienceDirect](#)

[similar results](#)

- 3. [Fabrication of CdS nanorods in inverse microemulsion using HEC as a template by a convenient γ-irradiation technique](#)

Liu, W. / He, W. / Zhang, Z. / Zheng, C. / Li, J. / Jiang, H. / Ge, X. / Liu, H., *Journal of Crystal Growth*, May 2006

...by a60Co gamma-ray source at a dose rate of 50Gy/min for an **absorbed** dose of 30kGy. The whole reaction was performed under ambient...nanorods. The presence of C and O elements in XPS come from the **absorbed** gaseous molecules. Detailed spectra were taken at Cd and S...

Published journal article available from **ScienceDirect**

[view all 56 results from ScienceDirect](#)

[similar results](#)

4. Purification and characterization of two forms of endo- β -1,4-mannanase from a thermotolerant fungus, Aspergillus...
Puchart, V. / Vrsanska, M. / Svoboda, P. / Pohl, J. / Ogel, Z.B. / Biely, P., BBA - General Subjects, Nov 2004
...the flow rate of 33 ml/h and 11-ml fractions were collected. **Adsorbed** proteins were liberated with a linear gradient of NaCl in...in 0.08% (v/v) aqueous trifluoroacetic acid, and the eluate **absorbing** at 210 nm was manually collected. The sequences homologous...
Published journal article available from  **ScienceDirect**
[view all 56 results from ScienceDirect](#)
[similar results](#)
5. Equilibria of Cu(II) in alkaline suspensions of cellulose pulp
Norkus, E. / Vaiciuniene, J. / Vuorinen, T. / Macalady, D.L., Carbohydrate Polymers, Jan 2004
...1990). The state of the copper(II) ions **adsorbed** by cellulose from aqueous solutions with...initial pH values shows either a decrease in **absorbance** or changes in both peak shape and **absorbance**. This confirms complex formation in the...
Published journal article available from  **ScienceDirect**
[view all 56 results from ScienceDirect](#)
[similar results](#)
6. A platinum electrode coated with a copper (II) aminopropyl complex-cellulose acetate membrane and its use for dissolved...
Lazarin, A.M. / Borgo, C.A. / Gushikem, Y., Journal of Membrane Science, Aug 2003
...attached organofunctional groups and of **adsorbed** metal were 0.41 and 0.12 mmol per gram...by the Kjeldhal method. The amount of **adsorbed** copper was determined by treating the...the thin film Cel/Al₂O₃/SiL with **adsorbed** Cu(II) was obtained on a Beckman DU 640...
Published journal article available from  **ScienceDirect**
[view all 56 results from ScienceDirect](#)
[similar results](#)
7. Development of an optical hydrogen sulphide sensor
Choi, M.M.F. / Hawkins, P., Sensors and Actuators B: Chemical, Apr 2003
...TOAFMA molecules. When exposed to H₂S, the H₂S molecules **adsorb** onto the surface and sub-surface layers of the PVC, neutralising...H₂S in the carrier gas causes the number of H₂S molecules **adsorbed** on the surface and sub-surface layers of the optode membrane...
Published journal article available from  **ScienceDirect**
[view all 56 results from ScienceDirect](#)
[similar results](#)
8. Flow-injection preconcentration and graphite furnace atomic absorption spectrometric determination of platinum
Laszity, A. / Kelko-Levai, A. / Zih-Perenyi, K. / Varga, I., Talanta, Feb 2003
...A platinum hollow cathode lamp was operated at 30 mA. The **absorbance** of platinum was measured at 265.9 nm. Experiments were run...samples and measurements were made based on peak height **absorbance**. Pyrolytically coated graphite tubes were used throughout...
Published journal article available from  **ScienceDirect**
[view all 56 results from ScienceDirect](#)
[similar results](#)
9. Welcome to Chemweb — Welcome to Chemweb [65K]
May 2006
...Superdex 75. Allumin was unadsorbed on DEAE-cellulose, but was **adsorbed** on Affigel blue gel, CM-cellulose and Mono S. Its antifungal...designated as agrocybin, was

unadsorbed on DEAE-cellulose, and **adsorbed** on Affi-gel blue gel and Mono S. Agrocybin exerted antifungal...

[more hits from \[http://www.chemweb.com/journals?type=issue&jid=0196978...\]](http://www.chemweb.com/journals?type=issue&jid=0196978...)
[similar results](#)

10. [The fractionation of plant photoactive pigment-protein complexes I and II.](#) [13K]
Nov 2005
...chromatography on DEAE-Sephadex column. Both types of complexes contain Chlorophyll a, beta-carotene and minor quantities of Chl b. Red **absorbance** maxima are located at 676 nm and 673 nm for PPC-I and PPC-II, respectively. The degrees of reaction centre enrichment were...
[http://bioinfo.pl/pmid:7378393]
[similar results](#)
11. [Articles on Chromatography, DEAE-Cellulose,](#) [140K]
Apr 2006
...designated trichogin, was unadsorbed on DEAE-cellulose but was **adsorbed** on Affi-gel blue gel and CM-cellulose. It exhibited antifungal...precipitate was dissolved in phosphate buffer pH = 7.50 and **adsorbed** on the DEAE-Sephadex column, and then eluted with linear gradient...
[http://chromatography.lib.bioinfo.pl/meid:361]
[similar results](#)
12. [L](#) [Word-70K]
Oct 2001
...Konkurrence-binding: jo mere umærket fedtsyre, der går ind i hydrofobe lommer, jo mere mærket stearat går ud af lommen **absorbansen** falder. Majs ns-LTP binder de umættede fedtsyre bedre end hvedens LTP gør, dvs maj er bedre til at rumme de mere voluminøse...
[http://www.kemi.kvl.dk/educate/035301/solbmkv10a.doc]
[similar results](#)
13. [WKU Biology 120 Metabolism- Autotrophy](#) [10K]
Aug 1998
...photosystems (I and II) consist of light **absorbing** pigments, primarily chlorophyll (chl a...pigments such as carotenoids Each pigment **absorbs** particular wave lengths of light maximally...refer to the wavelengths of light each **absorb** maximally In some plants Photosystem I...
[http://bioweb.wku.edu/courses/Biol120/120MetAuto.html]
[similar results](#)
14. [Blood purification therapies using dextran sulfate cellulose columns Liposorber and Selesorb.](#)
Asahi, Takashi / Yamamoto, Takashi / Kutsuki, Hidetoshi, Therapeutic apheresis and dialysis : official peer-reviewed journal of the International Society for Apheresis, the Japanese Society for Apheresis, the Japanese Society for Dialysis Therapy, Feb 2003
Liposorber is a column used for plasma purification that **adsorbs** low-density lipoproteins with high selectivity, while Selesorb is a column that selectively **adsorbs** anti-DNA antibodies, anticardiolipin antibodies, and immune complexes. Both columns...
MEDLINE/PubMed Citation on PubMed
[view all 12 results from MEDLINE/PubMed](#)
[similar results](#)
15. [Pharmaceutical composition for preventing, treating or development-inhibiting simple retinopathy and preproliferative retinopathy](#)
Nakagawa, Shizue / Nagisa, Yasutaka / Ikeda, Hitoshi, UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT PUBLICATION, Aug 2006
To provide a pharmaceutical composition for preventing, treating or development-inhibiting simple retinopathy or preproliferative retinopathy, comprising a compound

having angiotensin II antagonistic activity, or a salt thereof.

Full text available at patent office. For more in-depth searching go to LexisNexis
[view all 3 results from Patent Offices](#)
[similar results](#)

16. [Method for preventing, treating or inhibiting development of simple retinopathy and preproliferative retinopathy](#)

Nakagawa, Shizue / Nagisa, Yasutaka / Ikeda, Hitoshi, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Jun 2006

To provide a pharmaceutical composition for preventing, treating or development-inhibiting simple retinopathy or preproliferative retinopathy, comprising a compound having angiotensin II antagonistic activity, or a salt thereof.

Full text available at patent office. For more in-depth searching go to LexisNexis
[view all 3 results from Patent Offices](#)
[similar results](#)

17. [Cyclic nucleotide-independent phosphorylation of Vitellin by casein kinase II purified from Rhodnius prolixus oocytes](#)

Silva-Neto, M.A.C. / Fialho, E. / Paes, M.C. / Oliveira, P.L. / Masuda, H., Insect Biochemistry and Molecular Biology, Aug 2002

...content of each fraction was estimated by **absorbance** at 280 nm. 2.5 CK II purification Oocyte...collected. Protein content was measured by **absorbance** at 280 nm. VT purity was assessed by...Protein content was estimated from the **absorbance** at 280 nm (- -). Aliquots from each...

Published journal article available from ScienceDirect

[view all 56 results from ScienceDirect](#)
[similar results](#)

18. [Ultrafiltration rejection of dissolved ions using various weakly basic water-soluble polymers](#)

Juang, R.-S. / Chiou, C.-H., Journal of Membrane Science, Aug 2000

...mode by overpressure (100 psi). System Gold software was used for data acquisition. Detection was performed by indirect UV **absorbance** at 214 nm. Reproducibility of all concentration measurements was within 2% (mostly, 1%). The pH was measured with a Horiba...

Published journal article available from ScienceDirect

[view all 56 results from ScienceDirect](#)
[similar results](#)

19. [Novel compositions of eprosartan](#)

Venkatesh, Gopadi M., UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT PUBLICATION, Jan 2003

...This patent discloses a wet milling procedure to produce particles of a crystalline drug substance having a surface modifier **adsorbed** on the surface thereof in an amount sufficient to maintain an effective average particle size of less than about 400 nm. This...

Full text available at patent office. For more in-depth searching go to LexisNexis
[view all 3 results from Patent Offices](#)
[similar results](#)

20. [The effect of polymeric supports and methods of immobilization on the performance of an optical copper\(II\)-sensitive...](#)

Oehme, I. / Prattes, S. / Wolfbeis, O.S. / Mohr, G.J., Talanta, Nov 1998

...via the initial slope of the change in **absorbance** within 1 min. Layers made of hydrogel...The time dependence of the increase in **absorbance** due to formation of the blue zin- con-copper...M16 was dark red and showed an average **absorbance** of 0.4 + 0.012 (n = 8) at 540 nm. This...

Published journal article available from ScienceDirect

[view all 56 results from ScienceDirect](#)

[similar results](#)



Results Pages: [<< Prev] [1](#) [2](#) [3](#) [4](#) [Next >>]

[back to top](#)

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

[Powered by FAST © Elsevier 2007](#)

About Us

Newsroom

Advisory Board

Submit Web Site

Help

Contact Us

Basic Search

[Advanced Search](#) [Search Preferences](#)

keyword:cellulose AND keyword:II AND ((adsorb* or a

Journal sources Preferred Web sources Other Web sources Exact phrase

Searched for:: :All of the words:**keyword:cellulose AND keyword:II AND ((adsorb* OR absorb*) AND pho**

Found:: :**22 total | 15 journal results | 3 preferred web results | 4 other web results**

Sort by:: :**relevance | date**

Re
us
fo
cas
cas
cas
cas
chi
phi
phi
phi
pu

1. [Purification and characterization of butyrate-induced protein phosphatase involved in apoptosis of Ehrlich ascites tumor...](#)

Belakavadi, M. / Prabhakar, B.T. / Salimath, B.P., BBA - General Subjects, Jan 2007
...Preparation of endogenous TPA-**phosphorylated** membrane substrate Cells...facilitate PKC-mediated **phosphorylation** of endogenous membrane proteins...mM Tris-HCl pH 7.5, TPA-**phosphorylated** microsomal membrane (50...malachite green reagent and the **absorbance** was read at 620 nm. A standard...

Published journal article available from  [ScienceDirect](#)

[view all 15 results from ScienceDirect](#)

[similar results](#)

Or
Al

F

2. [Cellulose-based scaffold materials for cartilage tissue engineering](#)

Muller, F.A. / Muller, L. / Hofmann, I. / Greil, P. / Wenzel, M.M. / Staudenmaier, R., Biomaterials, Jul 2006
...chemical modification of cellulose by **phosphorylation** in phosphate solution and subsequent...so-called Lyocell(R)process[38,39]. A super **absorbent** polymer (sodium poly acrylic acid) was...Fig. 1b). EDX spot analysis confirmed **phosphorus** and calcium to be present in the surface...

Published journal article available from  [ScienceDirect](#)

[view all 15 results from ScienceDirect](#)

[similar results](#)

Or

Al

F

3. [Welcome to Chemweb — Welcome to Chemweb \[65K\]](#)

May 2006

...Allumin was unadsorbed on DEAE-cellulose, but was **adsorbed** on Affi-gel blue gel, CM-cellulose and Mono S. Its antifungal...derived from the oncogenic protein β^2 -Catenin in its **phosphorylated** and nonphosphorylated states by Simon Megy Gildas Bertho...
[more hits from](http://www.chemweb.com/journals?type=issue&jid=0196978...) [http://www.chemweb.com/journals?type=issue&jid=0196978...]
[similar results](#)

4. [Articles on Chromatography, DEAE-Cellulose, \[140K\]](#)

Apr 2006

...designated trichogin, was unadsorbed on DEAE-cellulose but was **adsorbed** on Affi-gel blue gel and CM-cellulose. It exhibited antifungal...precipitate was dissolved in phosphate buffer pH = 7.50 and **adsorbed** on the DEAE-Sephadex column, and then eluted with

linear gradient...

[<http://chromatography.lib.bioinfo.pl/meid:361>]
[similar results](#)

5. [WKU Biology 120 Metabolism- Autotrophy \[10K\]](#)

Aug 1998

...and II) consist of light **absorbing** pigments, primarily chlorophyll...carotenoids Each pigment **absorbs** particular wave lengths...cost 12 NADPH and 18 ATP to **phosphorylate** and reduce PG and to **phosphorylate** RP The ADP, NADP+ and the...
[<http://bioweb.wku.edu/courses/Biol120/120MetAuto.html>]
[similar results](#)

6. [Pharmaceutical composition for preventing, treating or development-inhibiting simple retinopathy and preproliferative retinopathy](#)

Nakagawa, Shizue / Nagisa, Yasutaka / Ikeda, Hitoshi, UNITED STATES PATENT AND TRADEMARK OFFICE PRE-GRANT PUBLICATION, Aug 2006

To provide a pharmaceutical composition for preventing, treating or development-inhibiting simple retinopathy or preproliferative retinopathy, comprising a compound having angiotensin II antagonistic activity, or a salt thereof.

Full text available at patent office. For more in-depth searching go to  [LexisNexis](#)
[view all 2 results from Patent Offices](#)
[similar results](#)

7. [Method for preventing, treating or inhibiting development of simple retinopathy and preproliferative retinopathy](#)

Nakagawa, Shizue / Nagisa, Yasutaka / Ikeda, Hitoshi, UNITED STATES PATENT AND TRADEMARK OFFICE GRANTED PATENT, Jun 2006

To provide a pharmaceutical composition for preventing, treating or development-inhibiting simple retinopathy or preproliferative retinopathy, comprising a compound having angiotensin II antagonistic activity, or a salt thereof.

Full text available at patent office. For more in-depth searching go to  [LexisNexis](#)
[view all 2 results from Patent Offices](#)
[similar results](#)

8. [Cyclic nucleotide-independent phosphorylation of Vitellin by casein kinase II purified from Rhodnius prolixus oocytes](#)

Silva-Neto, M.A.C. / Fialho, E. / Paes, M.C. / Oliveira, P.L. / Masuda, H., Insect Biochemistry and Molecular Biology, Aug 2002

...content was measured by **absorbance** at 280 nm. VT purity...galactosidase (116 kDa), **phosphorylase** b (98 kDa), albumin...homogenates and that its **phosphorylation** is not affected by...completely blocked VT **phosphorylation** (Fig. 1B, lane 6...estimated from the **absorbance** at 280 nm (- -). Aliquots...

Published journal article available from  [ScienceDirect](#)

[view all 15 results from ScienceDirect](#)
[similar results](#)

9. [Spectral and photochemical properties of borohydride-treated D1-D2-cytochrome b-559 complex of photosystem II](#)

Shkuropatov, A.Ya. / Khatypov, R.A. / Volshchukova, T.S. / Shkuropatova, V.A. / Owens, T.G. / Shuvalov, V.A., FEBS Letters, Dec 1997

...the complex. However, the **absorbance** *Corresponding author. Fax...point by point at 10C with a **phosphorescopic** setup [18] in a vacuum-tight...410 nm. As expected, the **absorbance** changes at SS9, 429 and 4...arrows show the dRchons of the **absorbance** changes at S42 and SS9 nm...

Published journal article available from  [ScienceDirect](#)

[view all 15 results from ScienceDirect](#)
[similar results](#)

10. [Identification of two thylakoid-associated phosphatases with protein phosphatase activity](#)

in chloroplasts of the...

Hast, T. / Follmann, H., Journal of Photochemistry and Photobiology B: Biology, Dec 1996

...pyranoside, okadaic acid, and **phosphorylated** amino acids were from sigma...I mL 0.5 M NaOH and the **absorbance** of nitrophenolate measured...reagent. After 5 min the **absorbance** at 660 nm was measured and...115 000 Bq mg⁻¹. For the **phosphorylation** of LHC II, a sample containing...

Published journal article available from  **ScienceDirect**

[view all 15 results from ScienceDirect](#)

[similar results](#)

11. Rat liver nucleoside diphosphosugar or diphosphoalcohol pyrophosphatases different from nucleotide pyrophosphatase or...

Canales, J. / Pinto, R.M. / Costas, M.J. / Hernandez, M.T. / Miro, A. / Bernet, D. / Fernandez, A. / Cameselle, J.C., Biochimica et Biophysica Acta (BBA)/Protein Structure and Molecular Enzymology, Jan 1995

...substrates without terminal **phosphoryl** groups, the formation of products with terminal **phosphoryl** groups was coupled to alkaline...activity on ADP-ribose (O) **absorbance** at 280 nm) KCl. 1, ADPRibase-I...which ADPRibase-Mn remained **adsorbed** to the column. The enzyme...chromatograms were recorded with an **absorbance** detector set at 250 nm (339...

Published journal article available from  **ScienceDirect**

[view all 15 results from ScienceDirect](#)

[similar results](#)

12. Raman spectral studies of polymorphy in cellulose. Part 1, Celluloses I and II / Rajai H. Atalla.

Atalla, Rajai H., Sep 1975

...The -5- cellulose II is a low-d.p. sample, regenerated from **phosphoric** acid at room temperature, chosen because of both its high...while the O-H bonds, whether of cellulose itself or -7- of **adsorbed** water, are responsible for the dominant spectral features...

[<http://hdl.handle.net/1853/2955>]

[similar results](#)

13. Effects of 1,3-chelation induced by cis-diamminedichloroplatinum(II) on the stability of DNA duplexes

Urata, H. / Tamura, M. / Urata, M. / Akagi, M., FEBS Letters, Oct 1992

...oligonucleotides were synthesized by a solid-phase P-cyanoethyl-**phosphoremidite** methods [151. cis-DDP was purchased from Aldrich Chemical...264 °C, values were determined by measuring changes in **absorbance** at 274 nm as a function of temperature at a duplex concentration...

Published journal article available from  **ScienceDirect**

[view all 15 results from ScienceDirect](#)

[similar results](#)

14. Purification and properties of a casein kinase II-like enzyme from Neurospora crassa

Favre, B. / Ojha, M., FEMS Microbiology Letters, Feb 1991

...literature. In vitro this enzyme **phosphorylates** a calpain-like protein...washed with this buffer and **adsorbed** proteins were eluted in...standard. 3.2. Protein **phosphorylation** assay Protein **phosphorylation** was usually assayed in...

Published journal article available from  **ScienceDirect**

[view all 15 results from ScienceDirect](#)

[similar results](#)

15. Interaction of elongation factor EF-Tu with γ-amides of GTP and β-amides of GDP bearing the azidoaryl group or the...

Babkina, G.T. / Jonak, J.V. / Rychlik, I., Biochimica et Biophysica Acta (BBA)/Gene Structure and Expression, Aug 1982

New types of azidoaryl analogs of GTP: @c-(4-azido)anilide of GTP (I), @c-(N-(4-azidobenzyl)-N-methyl)amide of GTP (II) and of GDP: @b-(4-azido)anilide of GDP (III), @b-(N-(4-azidobenzyl)-N-methyl)amide of GDP (IV) have been synthesized by...

Published journal article available from  **ScienceDirect**

[view all 15 results from ScienceDirect](#)

[similar results](#)

16. Ribosome-associated cyclic nucleotide-independent protein kinase of *Artemia salina* cryptobiotic gastrulae

Thoen, C. / Slegers, H., *Biochimica et Biophysica Acta (BBA)/Gene Structure and Expression*, Jul 1985

...utilizes both ATP and GTP as **phosphoryl** donors and is completely...ATP and (Å) with GTP as **phosphoryl** donors. , **absorbents** at 260 nm. (b) Localization...as exogenous substrate. , **absorbance** at 280 nm O O, 32P incorporation...of the kinase activity is **adsorbed** to the column (Fig. 2b...)

Published journal article available from  **ScienceDirect**

[view all 15 results from ScienceDirect](#)

[similar results](#)

17. Release of ribosome bound transfer RNA by enzymatic digestion of messenger RNA

Ishitsuka, H. / Kaji, A., *BBA Section Nucleic Acids And Protein Synthesis*, Feb 1972

...ribonuclease II3 or polynucleotide **phosphorylase**4. With the use of radioactive...later to be polynucleotide **phosphorylase**. Preparation o f Purified...2 ml were collected and **absorbance** at 260 run and radioactivity...presence of polynucleotide **phosphorylase**, the addition of inorganic...

Published journal article available from  **ScienceDirect**

[view all 15 results from ScienceDirect](#)

[similar results](#)

18. Electron transfer components of wild-type and photosynthetic mutant strains of *Scenedesmus obliquus* D₃

Powls, R. / Wong, J. / Bishop, N.I., *Biochimica et Biophysica Acta (BBA)/Bioenergetics*, Aug 1969

...fraction (Tubes o-4) was not **adsorbed** to the column its absorption...proteins of interest which were **adsorbed** to the column and progressively...u Åµ H O Å' w Å³ **ABSORBANCE** X 10 PROTEIN (mQ / ml) p...the absence of appreciable **absorbance** in fractions obtained from...catalyzed photo- NADP+ **phosphorylation** Mutant 26 2 2 I0 52 28 Mutant...

Published journal article available from  **ScienceDirect**

[view all 15 results from ScienceDirect](#)

[similar results](#)

19. Messenger RNA binding of a ribosome-associated protein kinase and a ribosomal phosphoprotein(s) in mouse plasmacytoma

Quirin-Stricker, C. / Schmitt, M., *BBA Section Nucleic Acids And Protein Synthesis*, Aug 1977

...kinase (protein kinase II) **phosphorylated** PPx proteins which bound...with the suggested role of **phosphorylation** of histone and non histone...suggested previously [7] that **phosphorylation** of a ribosomal protein factor...phosphocellulose to which it did not **absorb** [9]. After concentration...

Published journal article available from  **ScienceDirect**

[view all 15 results from ScienceDirect](#)

[similar results](#)

20. Stimulation of transcription from accurate initiation sites by purified S-II

Hirai, H. / Sekimizu, K. / Horikoshi, M. / Nakanishi, Y. / Natori, S., *FEBS Letters*, Sep 1988

...polymerase II in vitro [15]. **Phosphorylation** of S-II was shown to proceed...coupling of RNA synthesis and **phosphorylation** of S-II [16]. Thus, the...physiological significance of the **phosphorylation** of S-II has remained unknown...with 0.1 M KCl, and then **adsorbed** materials were eluted with...

Published journal article available from  **ScienceDirect**

[view all 15 results from ScienceDirect](#)

[similar results](#)

 **fast**

Results Pages: [<< Prev] 1 2 [Next >>]

[back to top](#)

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

[Powered by FAST © Elsevier 2007](#)

Basic Search[Advanced Search](#) [Search Preferences](#) Journal sources Preferred Web sources Other Web sources Exact phraseSearched for:: :All of the words:**"regenerated cellulose" AND phosphor* AND adsor* AND metal**Found:: **:1,054 total | 61 journal results | 833 preferred web results | 160 other web results**Sort by:: **:relevance | date**

- 1. [Proteomics - Sample Preparation \[103K\]](#)

Jun 2006

...either direction. **Regenerated cellulose** is hydrophilic and...buffer for 30 minutes. **Regen** exhibits minimal protein **adsorption**. A more concentrated...protein being lost. **Regenerated** have better...

[<http://www.piercenet.com/Proteomics/browse.cfm?fldID=7...>]
[similar results](#)

- 2. [bioMarkeIssue14-part2.qxd \[PDF-49K\]](#)

May 2006

...Corporation Kits for quantitation of **phosphorylated** proteins by LC-MS Read more on pag...
quantitation of **phosphorylated** proteins by mass spectrometry (LC...relative and absolute q

phosphorylated proteins by mass spectrometry (LC...
[http://no.vwr.com/no_NO/content/vwr_programs/life_scie...]
[similar results](#)

- 3. [MEMO : MODIFICHE APPORTATE IN QUESTA VERSIONE \[PDF-349K\]](#)

Sep 2004

...board 15.01.2002 110 Section 5 **Regenerated cellulose** film 15.01.2002 112 Annex I Rer articles made of **regenerated cellulose** film intended to come into contact...materials and a **regenerated cellulose** film intended to come into contact...

[<http://europe.eu.int/comm/food/food/chemicalsafety/foo...>]
[similar results](#)

- 4. [MEMO : MODIFICHE APPORTATE IN QUESTA VERSIONE \[PDF-349K\]](#)

Jun 2004

...board 15.01.2002 110 Section 5 **Regenerated cellulose** film 15.01.2002 112 Annex I Rer articles made of **regenerated cellulose** film intended to come into contact...materials and a **regenerated cellulose** film intended to come into contact...

[http://www.nsf.org/business/NSF_cook_and_thurber/pract...]
[similar results](#)

- 5. [Annual Report 2004 FCFT STU \[PDF-972K\]](#)

Apr 2005

ANNUAL REPORT 2004 Faculty of Chemical and Food Technology Slovak University of Technol
37 Bratislava april 2005 CONTENT

FOREWORD.....
[more hits from \[http://www.chtf.stuba.sk/dokumenty/AnnualReport2004.pdf...\]](http://www.chtf.stuba.sk/dokumenty/AnnualReport2004.pdf)
[similar results](#)

- 6. [Alphabetical catalogue of the manufacturers and suppliers of analytical instruments, test and instruments, ... \[244K\]](#)
Apr 2005
...ionisation detector. Others, such as electron capture, nitrogen, **phosphorous** and sulphur be incorporated. The detector...filters, injection liners, micro volume syringes, glass lined **me** separators, multidimensional system for GC, HPLC...
[\[http://www.zhdanov.ru/classified-catalogue/s-companies...\]](http://www.zhdanov.ru/classified-catalogue/s-companies...)
[similar results](#)
- 7. [SamplePrep_Final.indd \[PDF-286K\]](#)
Feb 2005
...proteins, selective capturing of **phosphorylated** peptides, and selective enrichment...affini **phosphorylated** peptides with a high degree...extraction method for purifying **metal**-depene proteins...Reagent Ideal for extraction of **phosphorylated** proteins. NucBusterTM Protein...
[\[http://www.merckbiosciences.co.uk/docs/docs/LIT/Sample...\]](http://www.merckbiosciences.co.uk/docs/docs/LIT/Sample...)
[similar results](#)
- 8. [Theory \[PDF-248K\]](#)
Aug 2005
Generation of **metal** nanoparticles in spherical polyelectrolyte brushes and their application...nanoparticles.....34 V Generation of **metal** nanoparticle nanoparticles: General synthetic methods and applications...
[\[http://opus.ub.uni-bayreuth.de/volltexte/2005/174/pdf/...\]](http://opus.ub.uni-bayreuth.de/volltexte/2005/174/pdf/...)
[similar results](#)
- 9. [Microsoft Word - Tariff Norway 2002.doc \[PDF-3MB\]](#)
Oct 2005
2. Except where the rates of duty are specified in monetary units, the rates indicated under " Schedule are percentage ad valorem. 3.
[\[http://www.ita.doc.gov/td/tic/tariff/malta.pdf\]](http://www.ita.doc.gov/td/tic/tariff/malta.pdf)
[similar results](#)
- 10. [No Title \[PDF-154K\]](#)
Dec 2005
© Copyright 2004 Alltech Associates, Inc. Contact your Alltech office or distributor for current Copyright 2004 Alltech Associates, Inc.
[\[http://www.alltechweb.com/literature/catalog600/Sectio...\]](http://www.alltechweb.com/literature/catalog600/Sectio...)
[similar results](#)
- 11. [Program Cover2004 \[PDF-947K\]](#)
Oct 2004
S A C N A S A B S T R A C T S 2 0 0 4 Society for Advancement of Chicanos and Native Ameri A S P.O. Box 8526 Santa Cruz, CA 95061-8526 877-SACNAS1 (722-6271) W W W. S A C N A Conference Sponsors Alfred P.
[\[http://www.sacnas.org/pdfs/2004/04-SACNAS-Abstracts.pdf...\]](http://www.sacnas.org/pdfs/2004/04-SACNAS-Abstracts.pdf)
[similar results](#)
- 12. [No Title \[PDF-461K\]](#)
Mar 2003
...a fiber, yarn, or fabric. (Also see **ADSORPTION**.) ACCELERANT: A chemical used to speed. process consists of **adsorption** by activated carbon and re-distillation...mostly of vegetable c **adsorptive** capacity. It is used for decolorizing...
[\[http://www.celanese.com/print/textile_glossary_filamen...\]](http://www.celanese.com/print/textile_glossary_filamen...)
[similar results](#)
- 13. [f:\temp\coll.PDF \[PDF-422K\]](#)
Jun 2006

...semiconductor/liquid and **metal**/liquid ones. A particular...investigate the effect of **adsorpt** determining...northwestern.edu Transition **metal** ions and oxo-ions in...by EPR and uv Raman complexes formed by exposure...vacancies in supported **metal** oxides during the oxidative...
[more hits from \[http://www.chemistry.org/portal/resources/ACS/Subporta...\]](http://www.chemistry.org/portal/resources/ACS/Subporta...)
[similar results](#)

14. [HistCite - index: Bruce Alberts](#) [172K]

Nov 2004

...of two methods of adhering composite to **metal** 0 5 11145 3 38 11145 1996 JOURNAL OF 11195 5 167 11195 1996 **METAL IONS IN BIOLOGICAL SYSTEMS**, VOL 32 32:207-270...inter nucleotides and **metal** ion complexes 8 58 11196 2 31 11196 1996...
[more hits from \[http://garfield.library.upenn.edu/histcomp/alberts_all...\]](http://garfield.library.upenn.edu/histcomp/alberts_all...)
[similar results](#)

15. [Organisation de Coopération et de Développement Economiques](#) [PDF-174K]

Jun 2004

Unclassified ENV/JM/MONO(2004)12 Organisation de Coopération et de Développement Econ Economic Co-operation and Development 24-Jun-2004

English - Or.

[more hits from \[http://www.olis.oecd.org/olis/2004doc.nsf/43bb6130e5e8...\]](http://www.olis.oecd.org/olis/2004doc.nsf/43bb6130e5e8...)

[similar results](#)

16. [TABLE OF CONTENTS](#) [PDF-2MB]

Oct 2005

The NIH Supply Catalog is published by the Stock Management Branch, Division of Logistics & Acquisitions Operations. Its purpose is to provide each ordering office with a current listing of common use items. 2.

[http://0-www.olao.od.nih.gov.portia.nesl.edu/NR/rdonly...]

[similar results](#)

17. [Polymeerit tulevaisuuden rakentajina](#) [PDF-256K]

Mar 2004

Helmikuu 2004 ISSN 1239-1336 ISBN 952-457-136-6 PL 69, 00101 Helsinki Puh. 0105 2151 Asiakasneuvonta: tekes@tekes.fi · Virallinen posti: kirjaamo@tekes.fi www.tekes.

[http://www.tekes.fi/julkaisut/Potra.pdf]

[similar results](#)

18. [Articles on Chromatography, Affinity, methods](#) [155K]

May 2006

...Relative mobilities of all **adsorbed** fractions in sodium...by Fe3+-immobilized **metal** ion af chromatography...for their original **phosphorylation** state was obtained...includes 38 novel **phosphorylation** sites. Proteomics...purified by immobilized **metal** affinity chromatography.
[http://chromatography.lib.bioinfo.pl/meid:14462]

[similar results](#)

19. [Chapter Template](#) [PDF-411K]

Dec 2003

.....249 APPENDIX C EXPERIMENTS WITH REGENERATED CELLULOSE.....2
REFERENCES

[http://www.lib.utexas.edu/etd/d/2002/kweonjh026/kweonj...]

[similar results](#)

20. [Results](#) [PDF-432K]

Nov 2004

...U., Schmitt, L. & Tampé, R. (2003). **Metal**- chelating amino acids as building blocks for syr **metal** ions and histidine-tagged proteins...crystallization of the proteasome at **metal**-chelati Biol...

[http://publikationen.ub.uni-frankfurt.de/volltexte/200...]

[similar results](#)



Results Pages: [<< Prev] [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [Next >>] [back to top](#)

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

[Powered by FAST](#) © Elsevier 2007

[About Us](#)[Newsroom](#)[Advisory Board](#)[Submit Web Site](#)[Help](#)[Contact Us](#)**Basic Search**[Advanced Search](#) [Search Preferences](#) Journal sources Preferred Web sources Other Web sources Exact phraseSearched for:: :All of the words:**"regenerated cellulose" AND phosphor* AND adsor* AND metal**Found:: :**1,054 total | 61 journal results | 833 preferred web results | 160 other web results**Sort by:: :**relevance | date**

- 1. [Proteomics - Sample Preparation \[103K\]](#)

Jun 2006

...either direction. **Regenerated cellulose** is hydrophilic and...buffer for 30 minutes. **Regen** exhibits minimal protein **adsorption**. A more concentrated...protein being lost. **Regenerate** have better...

[<http://www.piercenet.com/Proteomics/browse.cfm?fldID=7...>]
[similar results](#)

- 2. [bioMarkeIssue14-part2.qxd \[PDF-49K\]](#)

May 2006

...Corporation Kits for quantitation of **phosphorylated** proteins by LC-MS Read more on pag...
quantitation of **phosphorylated** proteins by mass spectrometry (LC...relative and absolute q

phosphorylated proteins by mass spectrometry (LC...
[http://no.vwr.com/no_NO/content/vwr_programs/life_scie...]
[similar results](#)

- 3. [MEMO : MODIFICHE APPORTATE IN QUESTA VERSIONE \[PDF-349K\]](#)

Sep 2004

...board 15.01.2002 110 Section 5 **Regenerated cellulose** film 15.01.2002 112 Annex I Rer
articles made of **regenerated cellulose** film intended to come into contact...materials and a
regenerated cellulose film intended to come into contact...

[<http://europe.eu.int/comm/food/food/chemicalsafety/fo...>]
[similar results](#)

- 4. [MEMO : MODIFICHE APPORTATE IN QUESTA VERSIONE \[PDF-349K\]](#)

Jun 2004

...board 15.01.2002 110 Section 5 **Regenerated cellulose** film 15.01.2002 112 Annex I Rer
articles made of **regenerated cellulose** film intended to come into contact...materials and a
regenerated cellulose film intended to come into contact...

[http://www.nsf.org/business/NSF_cook_and_thurber/pract...]
[similar results](#)

- 5. [Annual Report 2004 FCFT STU \[PDF-972K\]](#)

Apr 2005

ANNUAL REPORT 2004 Faculty of Chemical and Food Technology Slovak University of Technol
37 Bratislava april 2005 CONTENT

- FOREWORD.....
[more hits from \[http://www.chtf.stuba.sk/dokumenty/AnnualReport2004.pdf...\]](http://www.chtf.stuba.sk/dokumenty/AnnualReport2004.pdf)
[similar results](#)
6. [Alphabetical catalogue of the manufacturers and suppliers of analytical instruments, test and instruments, ... \[244K\]](#)
Apr 2005
...ionisation detector. Others, such as electron capture, nitrogen, **phosphorous** and sulphur be incorporated. The detector...filters, injection liners, micro volume syringes, glass lined **me** separators, multidimensional system for GC, HPLC...
[\[http://www.zhdanov.ru/classified-catalogue/s-companies...\]](http://www.zhdanov.ru/classified-catalogue/s-companies...)
[similar results](#)
7. [SamplePrep_Final.indd \[PDF-286K\]](#)
Feb 2005
...proteins, selective capturing of **phosphorylated** peptides, and selective enrichment...affini **phosphorylated** peptides with a high degree...extraction method for purifying **metal**-dep... proteins...Reagent Ideal for extraction of **phosphorylated** proteins. NucBusterTM Protein...
[\[http://www.merckbiosciences.co.uk/docs/docs/LIT/Sample...\]](http://www.merckbiosciences.co.uk/docs/docs/LIT/Sample...)
[similar results](#)
8. [Theory \[PDF-248K\]](#)
Aug 2005
Generation of **metal** nanoparticles in spherical polyelectrolyte brushes and their application...nanoparticles.....34 V Generation of **metal** nanoparticle nanoparticles: General synthetic methods and applications...
[\[http://opus.ub.uni-bayreuth.de/volltexte/2005/174/pdf/...\]](http://opus.ub.uni-bayreuth.de/volltexte/2005/174/pdf/)
[similar results](#)
9. [Microsoft Word - Tariff Norway 2002.doc \[PDF-3MB\]](#)
Oct 2005
2. Except where the rates of duty are specified in monetary units, the rates indicated under " Schedule are percentage ad valorem. 3.
[\[http://www.ita.doc.gov/td/tic/tariff/malta.pdf\]](http://www.ita.doc.gov/td/tic/tariff/malta.pdf)
[similar results](#)
10. [No Title \[PDF-154K\]](#)
Dec 2005
© Copyright 2004 Alltech Associates, Inc. Contact your Alltech office or distributor for current Copyright 2004 Alltech Associates, Inc.
[\[http://www.alltechweb.com/literature/catalog600/Sectio...\]](http://www.alltechweb.com/literature/catalog600/Sectio...)
[similar results](#)
11. [Program Cover2004 \[PDF-947K\]](#)
Oct 2004
S A C N A S A B S T R A C T S 2 0 0 4 Society for Advancement of Chicanos and Native Ameri A S P.O. Box 8526 Santa Cruz, CA 95061-8526 877-SACNAS1 (722-6271) W W W. S A C N A Conference Sponsors Alfred P.
[\[http://www.sacnas.org/pdfs/2004/04-SACNAS-Abstracts.pdf...\]](http://www.sacnas.org/pdfs/2004/04-SACNAS-Abstracts.pdf)
[similar results](#)
12. [No Title \[PDF-461K\]](#)
Mar 2003
...a fiber, yarn, or fabric. (Also see **ADSORPTION**.) ACCELERANT: A chemical used to speed. process consists of **adsorption** by activated carbon and re-distillation...mostly of vegetable c **adsorptive** capacity. It is used for decolorizing...
[\[http://www.celanese.com/print/textile_glossary_filamen...\]](http://www.celanese.com/print/textile_glossary_filamen...)
[similar results](#)
13. [f:\temp\coll.PDF \[PDF-422K\]](#)
Jun 2006

...semiconductor/liquid and **metal**/liquid ones. A particular...investigate the effect of **adsorpt**
determining...northwestern.edu Transition **metal** ions and oxo-ions in...by EPR and uv-Raman
complexes formed by exposure...vacancies in supported **metal** oxides during the oxidative...
[more hits from \[http://www.chemistry.org/portal/resources/ACS/Subporta...\]](http://www.chemistry.org/portal/resources/ACS/Subporta...)
[similar results](#)

14. [HistCite - index: Bruce Alberts](#) [172K]
Nov 2004
...of two methods of adhering composite to **metal** 0 5 11145 3 38 11145 1996 JOURNAL OF.
11195 5 167 11195 1996 **METAL** IONS IN BIOLOGICAL SYSTEMS, VOL 32 32:207-270...inte
nucleotides and **metal** ion complexes 8 58 11196 2 31 11196 1996...
[more hits from \[http://garfield.library.upenn.edu/histcomp/alberts_all...\]](http://garfield.library.upenn.edu/histcomp/alberts_all...)
[similar results](#)
15. [Organisation de Coopération et de Développement Economiques](#) [PDF-174K]
Jun 2004
Unclassified ENV/JM/MONO(2004)12 Organisation de Coopération et de Développement Econ
Economic Co-operation and Development 24-Jun-2004
-
- English - Or.
- [more hits from \[http://www.olis.oecd.org/olis/2004doc.nsf/43bb6130e5e8...\]](http://www.olis.oecd.org/olis/2004doc.nsf/43bb6130e5e8...)
[similar results](#)
16. [TABLE OF CONTENTS](#) [PDF-2MB]
Oct 2005
The NIH Supply Catalog is published by the Stock Management Branch, Division of Logistics &
Acquisitions Operations. Its purpose is to provide each ordering office with a current listing of
common use items. 2.
[\[http://0-www.olao.od.nih.gov.portia.nesl.edu/NR/rdonly...\]](http://0-www.olao.od.nih.gov.portia.nesl.edu/NR/rdonly...)
[similar results](#)
17. [Polymeerit tulevaisuuden rakentajina](#) [PDF-256K]
Mar 2004
Helmikuu 2004 ISSN 1239-1336 ISBN 952-457-136-6 PL 69, 00101 Helsinki Puh. 0105 2151
Asiakasneuvonta: tekkes@tekkes.fi · Virallinen posti: kirjaamo@tekkes.fi www.tekkes.fi/julkaisut/Potra.pdf
[similar results](#)
18. [Articles on Chromatography, Affinity, methods](#) [155K]
May 2006
...Relative mobilities of all **adsorbed** fractions in sodium...by Fe3+-immobilized **metal** ion af
chromatography...for their original **phosphorylation** state was obtained...includes 38 novel
phosphorylation sites. Proteomics...purified by immobilized **metal** affinity chromatography.
[\[http://chromatography.lib.bioinfo.pl/meid:14462\]](http://chromatography.lib.bioinfo.pl/meid:14462)
[similar results](#)
19. [Chapter Template](#) [PDF-411K]
Dec 2003
.....249 APPENDIX C EXPERIMENTS WITH REGENERATED CELLULOSE.....2
REFERENCES
[\[http://www.lib.utexas.edu/etd/d/2002/kweonjh026/kweonj...\]](http://www.lib.utexas.edu/etd/d/2002/kweonjh026/kweonj...)
[similar results](#)
20. [Results](#) [PDF-432K]
Nov 2004
...U., Schmitt, L. & Tampé, R. (2003). **Metal**- chelating amino acids as building blocks for sy
metal ions and histidine-tagged proteins...crystallization of the proteasome at **metal**-chelati
Biol...
[\[http://publikationen.ub.uni-frankfurt.de/volltexte/200...\]](http://publikationen.ub.uni-frankfurt.de/volltexte/200...)
[similar results](#)



Results Pages: [<< Prev] [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [12](#) [13](#) [14](#) [15](#) [16](#) [17](#) [18](#) [19](#) [20](#) [Next >>] [back to top](#)

[Downloads](#) | [Subscribe to News Updates](#) | [User Feedback](#) | [Advertising](#)
[Tell A Friend](#) | [Terms Of Service](#) | [Privacy Policy](#) | [Legal](#)

[Powered by FAST © Elsevier 2007](#)